

USING REPEATABLE GROUPS – LINES AND DRAINS DEMO

Repeatable groups occur once you sign the information, it will automatically replicate another section for you to enter data against. This is useful for frequently completed tasks such as Lines and drains.

1 Load the patients record and select the Assessments and Fluid Balance main menu option.

The screenshot shows the patient record for STEWARD, FRED. The left-hand navigation pane has 'Assessments/Fluid Balance' highlighted with a red circle. The main content area displays a list of assessment categories, with 'Adult Lines - Devices' selected. The right-hand pane shows a grid view of data for the last 24 hours, with 'Peripheral IV' selected.

2 Select the Adult Lines – Devices iView band.

The screenshot shows the patient record for STEWARD, FRED. The left-hand navigation pane has 'Adult Lines - Devices' highlighted with a red box. The main content area displays a list of assessment categories, with 'Adult Lines - Devices' selected. The right-hand pane shows a grid view of data for the last 24 hours, with 'Peripheral IV' selected.

3 To Start a repeatable group click the grid icon next to the title

STEWARD, FRED

Age: 58 years Sex: Male Loc: RD8-GH Ward 20; Bay 01; Bed 01
 DOB: 13/Jul/59 MRN: 512200 Inpatient [22/Jan/2018 14:39 - <No - Discharge date>]
 Resus: Full Resuscitation NHS No: 965-687-7403 Clinical Staff: O'hara, Richard James

Menu

- Clinician Workflow
- Nurse Workflow
- Obstetrics View
- Newborn Summary
- Results Review
- Requests/Care Plans + Add
- Drug Chart
- Task List
- Assessments/Fluid Balance**
- Clinical Notes
- Allergies + Add
- Problems and Diagnoses
- Form Browser
- Histories
- Documentation + Add
- Patient Information
- Appointments
- Drug Chart Summary

Assessments/Fluid Balance

Adult Quick View

- Adult Assessments
- Adult Lines - Devices
- Peripheral IV
 - Central Line
 - Arteriovenous Access

Fluid Balance

Medication Related Monitoring

- Blood Product Administration
- Antenatal Clinic
- Antenatal Triage
- Delivery
- Labour
- Newborn
- Obstetric Emergency
- Postnatal

Last 24 Hours

Find Item Critical High Low Abnormal Unauth Flag And Or

02/Mar/18

12:00 - 11:00 - 10:00 - 09:00 - 08:00 - 07:00 - 06:00 - 05:00 - 04:00 - 03:00 - 02:00 -
 12:59 GMT 11:59 GMT 10:59 GMT 09:59 GMT 08:59 GMT 07:59 GMT 06:59 GMT 05:59 GMT 04:59 GMT 03:59 GMT 02:59 GMT

Peripheral IV

- Peripheral Frontal vein
- Central Line
- Arteriovenous Access

Add new sticky note for this patient

T0485 CERNER01 02 March 2018 12:50 GMT

4 This will open up a new window where you can choose the option relevant to your situation.

Repeatable Group - STEWARD, FRED - 512200

Label:
Peripheral Frontal vein Right 16 gauge

Peripheral IV Catheter Type:
Peripheral
Midline

Peripheral IV Site:
Cephalic vein
Accessory cephalic vein
Digital dorsal vein
Dorsal metacarpal vein
Dorsal venous arch foot
Frontal vein
Great saphenous vein
Median antebrachial vein
Median cubital vein
Posterior auricular vein
Small saphenous vein
Superficial temporal vein
Antecubital
Wrist
Forearm
Basilic vein
Digit
Hand
Upper Arm

Peripheral IV Laterality:
Left
Right
Medial

OK Cancel

5 You will now see your chosen repeatable group showing in the iView and you can document against this.

The screenshot shows the eCARE interface for patient STEWARD, FRED. The top header includes patient details: Age: 58 years, DOB: 13/Jul/59, Sex: Male, MRN: 512200, Resus: Full Resuscitation, NHS No: 965-687-7403, and location: Loc: RD8-GH Ward 20; Bay 01; Bed 01. The main window displays 'Assessments/Fluid Balance' with a left-hand menu and a central data table. The table shows a 'Peripheral Frontal vein Right 16...' assessment performed on 02/Mar/18 at 13:05. The assessment details include: Activity: Insert, POA (Insert Date/Time if known): 03/Mar/2018 13:05, Patient Identified: Identification band, Lot Number: 1, Number of Attempts: 1, Unsuccessful Attempts Site: 0, Insertion Aids: Insertion site visible, Phlebitis Score: 1, Removal Reason: Saline Flush, Line Status: Continuous giving set, Haematoma Diameter: 0 cm, Infiltration Score: 0, Dressing Activity: , Dressing Condition: , and Site Care: .

They are called repeatable groups because once you sign the information it will automatically replicate another section for you to enter data against. This is useful for frequently completed tasks.

6

Repeatable group in action:

This screenshot illustrates the 'Repeatable group in action' feature. It shows the same patient and assessment as the previous screenshot. Two arrows point to specific rows in the data table. The first arrow points to the 'Peripheral Frontal vein Left 14 g...' row, which is highlighted in blue. The second arrow points to the 'Peripheral Frontal vein Right 16...' row, which is also highlighted in blue. The interface shows that once data is entered in one instance, a similar section automatically appears for the next instance, allowing for efficient data entry for frequently completed tasks.

Original recording of data

Repeatable group automatically appears once data has been signed in the first instance